



CONECTOR LIQUID TIGHT

Conector Recto

Material: Hierro maleable

UL (E509375)

Cat N°	Trade Size	DIMENSION (IN)		
		A	B	C
LTC0010	3/8"	1.125	0.500	1.125
LTC0015	1/2"	1.250	0.500	1.250
LTC0020	3/4"	1.250	0.500	1.563
LTC0025	1"	1.438	0.625	1.813
LTC0032	1 1/4"	1.500	0.688	2.250
LTC0040	1 1/2"	1.625	0.750	2.438
LTC0050	2"	1.750	0.750	3.000
LTC0065	2 1/2"	2.188	1.000	4.000
LTC0080	3"	2.500	1.125	4.188
LTC0090	3 1/2"	2.625	1.188	5.250
LTC00100	4"	2.750	1.250	5.750




Conector recto con linea a tierra.

Material: Hierro maleable.

Terminal: Aluminio ó cobre


Cat N°	Trade Size	DIMENSION (IN)		
		A	B	C
LTGC0010	3/8"	1.125	0.500	1.125
LTGC0015	1/2"	1.250	0.500	1.250
LTGC0020	3/4"	1.250	0.500	1.563
LTGC0025	1"	1.438	0.625	1.813
LTGC0032	1 1/4"	1.500	0.688	2.250
LTGC0040	1 1/2"	1.625	0.750	2.438
LTGC0050	2"	1.750	0.750	3.000
LTGC0065	2 1/2"	2.188	1.000	4.000
LTGC0080	3"	2.500	1.125	4.188
LTGC0090	3 1/2"	2.625	1.188	5.250
LTGC00100	4"	2.750	1.250	5.750



CONNECTOR LIQUID TIGHT



Conector curvo de 90°
Material: Hierro maleable
UL (E509375)

Cat N°	Trade Size	DIMENSION (IN)		
		A	B	C
LTC9010	3/8"	1.313	0.500	1.125
LTC9015	1/2"	1.438	0.500	1.250
LTC9020	3/4"	1.625	0.500	1.563
LTC9025	1"	2.313	0.625	1.813
LTC9032	1 1/4"	2.375	0.688	2.250
LTC9040	1 1/2"	3.063	0.750	2.438
LTC9050	2"	3.188	0.750	3.000
LTC9065	2 1/2"	8.313	1.000	4.000
LTC9080	3"	9.813	1.125	4.188
LTC9090	3 1/2"	11.188	1.188	5.250
LTC90100	4"	12.563	1.250	5.750



Conector curvo de 90° con linea a tierra.
Material: Hierro maleable.
Terminal: Aluminio


Cat N°	Trade Size	DIMENSION (IN)		
		A	B	C
LTGC9010	3/8"	1.313	0.500	1.125
LTGC9015	1/2"	1.438	0.500	1.250
LTGC9020	3/4"	1.625	0.500	1.563
LTGC9025	1"	2.313	0.625	1.813
LTGC9032	1 1/4"	2.375	0.688	2.250
LTGC9040	1 1/2"	3.063	0.750	2.438
LTGC9050	2"	3.188	0.750	3.000
LTGC9065	2 1/2"	8.313	1.000	4.000
LTGC9080	3"	9.813	1.125	4.188
LTGC9090	3 1/2"	11.188	1.188	5.250
LTGC90100	4"	12.563	1.250	5.750



CONNECTOR LIQUID TIGHT

Conector curvo de 45°
Material: Hierro maleable
UL (E509375)

Cat N°	Trade Size	DIMENSION (IN)		
		A	B	C
LTC4510	3/8"	1.938	0.500	1.125
LTC4515	1/2"	2.000	0.500	1.250
LTC4520	3/4"	2.188	0.500	1.563
LTC4525	1"	2.500	0.625	1.813
LTC4532	1 1/4"	2.813	0.688	2.250
LTC4540	1 1/2"	3.000	0.750	2.438
LTC4550	2"	3.688	0.750	3.000
LTC4565	2 1/2"	7.313	1.000	4.000
LTC4580	3"	7.625	1.125	4.188
LTC4590	3 1/2"	9.625	1.188	5.250
LTC45100	4"	11.063	1.250	5.750



Conector curvo de 45° con linea a tierra.
Material: Hierro maleable.
Terminal: Aluminio ó cobre

Cat N°	Trade Size	DIMENSION (IN)		
		A	B	C
LTGC4510	3/8"	1.938	0.500	1.125
LTGC4515	1/2"	2.000	0.500	1.250
LTGC4520	3/4"	2.188	0.500	1.563
LTGC4525	1"	2.500	0.625	1.813
LTGC4532	1 1/4"	2.813	0.688	2.250
LTGC4540	1 1/2"	3.000	0.750	2.438
LTGC4550	2"	3.688	0.750	3.000
LTGC4565	2 1/2"	7.313	1.000	4.000
LTGC4580	3"	7.625	1.125	4.188
LTGC4590	3 1/2"	9.625	1.188	5.250
LTGC45100	4"	11.063	1.250	5.750

